

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	85150	network with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 13:29
S2	19488	(network with storage) and (user with (select choose pick))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:56
S3	1082	S2 and (reminder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:01
S4	3832	S2 and (reminder notice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:02
S5	2656	S4 and @py < "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:03
S6	554	S4 and @py < "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:03
S7	16298	(network.ab. with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:03
S8	958	(network.ab. with storage) and (user with (select choose pick))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 10:04
S10	24651	(network same storage.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:05
S11	6	(network same storage.ab.) with (dialogue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:05

S12	327	(network same storage.ab.) and (user with save)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:11
S13	177	(network same storage.ab.) and (user with save) AND @py < "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:14
S14	206	(proxy with storage.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:19
S15	6396	(network with storage.ab.) and (user enduser client end-user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:20
S16	7801	(network.ab. with data with stor\$3) and (user enduser client end-user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:26
S17	1499	(network.ab. with data with stor\$3) and ((user enduser client end-user) with (choose choice pick decide determine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:31
S18	156	(network.ab. with data with stor\$3) and ((user enduser client end-user) with (choose choice pick decide determine) with (save store))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:32
S19	12	(network.ab. with data with stor\$3) and ((user enduser client end-user) with (choose choice pick decide determine) with (save))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 13:56
S20	1	(storage adj attached adj network. ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:14
S21	48	(storage adj attached adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:43

S22	485	(storage adj network.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:43
S23	210	(storage adj network.ab.) AND @py < "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:05
S24	390	(save with file with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:18
S25	1312	(proxy with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:18
S26	206	(proxy with storage.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:19
S27	150	(proxy with storage.ab.) AND @py < "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 15:34
S28	20318	(sav\$3 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:01
S29	10240	(save with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:01
S30	390	(save with file) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:01
S31	278	(save with file) with network AND @py < "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:12

S32	96	storage.ti. and router.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:47
S39	2515	(save near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:48
S40	67	(save near file) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:49